



CERTIFICATE



क्रमांक/CERT10104/2020/NOC2210133

दिनांक : 29-03-2021

It is hereby certified that the Recognition of School BACHPAN PLAY PUBLIC SCHOOL, situated at BINEKI KEOLARI, District SEONI in the state of Madhya Pradesh bearing UDISE Code No. 23440312522 is hereby extended, for the purpose of Affiliation with the NOC for New till 2024-25 under the MP State Recognition Rule (मा-यता नियम) 2017 on following terms and conditions -

- School should admit students only up to the level for which recognition is granted. If School is found violating rules then Department is viable to take any action, including Cancellation of Recognition of School.
- Latest Recognition Certificate of School should be displayed in School Notice Board and Principal Room.
- School Principal/Director and Teachers are not allowed to associate with any Political groups Also, school should not allow their students to participate in any political activities during school hours.
- School has to safely keep and maintain all accounts and records of students and staff, the same can be inspected by the departmental officials any time.
- "Parent-Teacher Association" should be formed to ensure participation of parents of students studying in the school.
- The school should strive for making continuous efforts to get best academic quality criteria. During each three year period, all teachers should be trained at least once in their respective teaching subjects.
- Once approved, after due inspection, the Society/Trust will not change any of the parameters claimed at the time of recognition. School Education Department officials can inspect school premises at any time. During inspection, if Society/Trust is found not following declared standards, then Divisional Joint Director can act as given in sub-rule (1) of rule 11, and can suspend school's accreditation.
- If School is not found to follow conditions and responsibilities given under Rule 5 and 9 as well as instructions and guidance issued by Department from time to time, the undersigned will have the power to suspend the school's recognition on the basis of investigation.
- In case of any Explanation Call, if the reply received from Society/Trust is not found to be satisfactory, then after giving last hearing opportunity, the school's recognition can be canceled.
- Upon withdrawal of recognition, Security Fee deposited will be fully or partly, as specified in the order, will be seized.
- It will be mandatory to get affiliation with the Central Board Secondary Education, and follow all norms as given in NOC Affiliation Bye-Laws.
- In case of any dispute, the jurisdiction of the Court shall be at Bhopal.
- School should strictly follow Fee Regulation Act published by School Education Department, Govt. of MP - 'मध्यप्रदेश निजी विद्यालय (फीस तथा संबंधित विषयों का विनियम) अधिनियम - क्र. एफ-37-4-2017-20-3) published as on 26 June, 2018.

संभागीय संयुक्त संचालक, लोक शिक्षण,
मध्यप्रदेश

Part B

This part is to be filled-up by the Divisional Joint Director after verifying all supporting documents and certificates in original and visiting the school.

| | | |
|----|--|---|
| 1. | This is to certify that the information above, provided by the school has been verified on the basis of all supporting documents & certificates and visiting the school and the information has been found correct.* | Yes |
| 2. | (a) Is the school recommended for affiliation? (Please ensure that the school fulfills land requirements also as per details given in Appendix-IIIa along with point nos. 1-24) (b) If the school is not recommended for affiliation then under what section/ sections -----and what are the short comings, please specify clearly. If required add extra pages. * | Yes |
| 3. | Recommended for Middle Class Syllabus/ Secondary /Senior Secondary to CBSE ?* | AffiliationType : Upgradation to Senior Secondary |

Decision

| Status | JD_VA | Remark | Recommended to be upgraded |
|--------|-------|--------|----------------------------|
|--------|-------|--------|----------------------------|

Part C

DIVISIONAL JOINT DIRECTOR SHALL PUT A TICK MARK AGAINST THE COLUMN UNDER WHICH THE SCHOOL IS FULFILING THE LAND CRITERIA

| | | | |
|--------------------------------|---|--|--|
| Application No | NOC2210133 | Dise Code | 23440312522 |
| Name and Address of the school | BACHPAN PLAY PUBLIC SCHOOL BINEKI KEOLARI | total land area in lawful possession of school | BuildUpArea (8082) + OpenArea (4500) = 12582 |

JD Approve

| SN | LOCATION OF SCHOOL* | LAND REQUIREMENT | Action by JD | Remark by JD |
|-----|--|----------------------------|--------------|--------------|
| 1. | Any Where in India | Minimum 6000 Square meters | Yes | |
| 2. | In Municipal limits of cities with a population exceeding 15 Lakhs. | Minimum 4000 Square meters | No | |
| 3. | In hilly area prescribed by the Planning Commission (NITI Aayog) | Minimum 4000 Square meters | No | |
| 4. | In Municipal limits of the State Capital Cities | Minimum 4000 Square meters | No | |
| 5. | In the North Eastern State. | Minimum 4000 Square meters | No | |
| 6. | In the State of Jammu and Kashmir | Minimum 4000 Square meters | No | |
| 7. | In Municipal limits of Ghaziabad, Noida, Faridabad and Gurugram cities | Minimum 4000 Square meters | No | |
| 8. | In the Municipal limits of panchkula and Mohali/ SAS Nagar | Minimum 4000 Square meters | No | |
| 9. | In the Municipal limits Class-X cities (Ahmedabad, Bengaluru, Hyderabad, Pune). Or on the Hill Stations. (For Secondary Level) | Minimum 2000 Square meters | No | |
| 10. | In the Municipal limits Class-X cities (Ahmedabad, Bengaluru, Hyderabad, Pune). Or on the Hill Stations. (For Senior Secondary Level) | Minimum 3000 Square meters | No | |
| 11. | In the Municipal limits of Chennai, Delhi, Kolkata and Mumbai or the state of Arunachal Pradesh. Or the state of Sikkim Or the Islands. (For Secondary Level) | Minimum 1600 Square meters | No | |
| 12. | In the Municipal limits of Chennai, Delhi, Kolkata and Mumbai or the state of Arunachal Pradesh. Or the state of Sikkim Or the Islands. (For Senior Secondary Level) | Minimum 2400 Square meters | No | |